AUTHOR INDEX, VOLUME 11

Albarino, R. V.: see Schonhorn, H.

Andrews, E. H., and Kinloch, A. J.: Elastomeric Adhesives: Effect of Cross Link Density on Joint Strength, 269

Arai, H., Wade, T., and Kuriyama, I.: New Morphology of Polyethylene Prepared by γ-Ray-Induced Polymerization, 2297

Baer, E.: see Mauritz, K. A.

Baltá-Calleja, F. J.: see Phaovibul, O.

Bares, V., and Wunderlich, B.: The Question of C_p-C_v for Crystalline Polyethylene, 397

——, and ——: Heat Capacity of Molten Polymers, 861

——, and ——: Interpretation of the Heat Capacity of Polymer Melts, 1301

Barker, R. E., Jr.: see Moon, P. C.

Baugher, J. F.: see Ellis, B.

Baughman, R. H., and Turi, E. A.: Negative Thermal Expansion of a Polydiacetylene Single Crystal, 2453

——: see Davis, L. A.

——: see Melveger, A. J.

Bell, J. P.: see Mehta, R. E

——: see Mocherla, K. K.

Beneš, M. J.: see Stejskal, J.

Berghams, H., Lanza, E., and Smets, G: Tetrachlorobisphenol-A Adipate Polymers. II. Spherulitic Crystallization of Poly(tetrachlorobisphenol-A Adipate), 87

——: see Lanza, E.

Biliyar, K.: see Shen, M.

Binsbergen, F. L.: Heterogeneous Nucleation in the Crystallization of Polyolefins. III. Theory and and Mechanism, 117

Bloomfield, V. A.: see Welch, J.

Boehlke, K.: see Treiber, G.

Boerio, F. J., and Cornell, D. D.: Heat Capacity of Polyoxymethylene, 391

——, and Yuann, J. K.: Determination of Copolymer Composition by Raman Spectroscopy, 1841

Booth, C., and Dodgson, D. V.: Melting Behavior of Ethylene Oxide–Propylene Oxide (*sym*-EPE) Block Copolymers, 265

——, and Pickles, C. J.: Melting Behavior of Ethylene Oxide–Propylene Oxide (*sym*-PEP) Block Copolymers, 249

——, and ——: Phase Separation in Mixtures of Poly(ethylene Oxide) and Poly(propylene Oxide), 595

Botvinnik, G. O.: see Dreval, V. E.

Boudreaux, D. S.: Calculations of the Strength of the Polyethylene Molecule, 1285

Bourdariat, J., Isnard, R., and Odin, J.: Heat Capacity of Amorphous Polyhexene-1 between 20 and 300°K: Intramolecular Vibrational Contribution to C_v below the Glass Transition, 1817

Boyd, R. H.: see Shen, M.

Brown, N.: A Theory for Environmental Craze Yielding of Polymers at Low Temperatures, 2099

Bruzzone, A. R.: see Cooper, A. R.

Bueche, F.: Electrical Properties of Carbon Black in an SBR–Wax Matrix, 1319

Bullock, A. T., Cameron, G. G., and Smith, P. M.: Electron Spin Resonance Studies of Spin-Labeled Polymers. IV. Slow-Motional Effects in Solid Polystyrene, 1263

Butcher, A. F.: see Stratton, R. A.

Čačković, H.: see Phaovibul, O.

Calvert, P. D., and Uhlmann, D. R.: Surface Stresses and Crystal Twisting in Hippuric Acid and in Polymers, 457

Cameron, G. G.: see Bullock, A. T.

Caroli, B., Saint-James, D., and Jannink, G.: Slow Motion of Long-Chain Molecules in Solution with Internal Correlations, 2467

Carr, S. H.: see Engler, P.

Chang, E. P., and Chien, J. C. W.: Dielectric Relaxation of Collagen and Gelatin, 737

——: see Tanaka, A.

Chang, M., Pound, T. C., and Manley, R. St. J.: Gel-Permeation Chromatographic Studies of Cellulose Degradation. I. Treatment with Hydrochloric Acid, 399
Chanzy, H. D., Roche, E. J., and Vuong, R. K.: Crystallization of Cellulose Triacetate from Solution at High Temperature, 1859
Chatain, D., Gautier, P., and Lacabanne, C.: Ionic Thermal Current Study of the α' Process Poly(hexamethylene Adipamide), 1631
——: see Lacabanne, C.
Chatani, Y., Ohno, T., Yamauchi, T., and Miyake, Y.: Crystal Structure and Radiation-Induced Solid-State Polymerization of 1,3,5,7,9,11-Hexoxecane, 369
Chen, Y. T.: A Constitutive Equation for Composite Systems, 2013
Chiang, T. C.: see Davis, L. A.
Chien, J. C. W.: see Chang, E. P.
Chu, B.: see Kuwahara, N.
Chûjô, R.: see Inoue, Y.
Ciampelli, F.: see Tosi, C.
Cirlin, E. H., and Kaelble, D. H.: Roughness and Anisotropy Effects on Wettability of Polytetrafluoroethylene and Sodium-treated Polytetrafluoroethylene, 785
Clark, J. C.: see Westerman, L.
Clark-Monks, C., and Ellis, B.: Vapor Sorption by Filled/Reinforced Resins. I. General Behavior and Interpretation, 2089
Colver, C. P.: see Vadovic, C. J.
Cooper, A. R., and Bruzzone, A. R.: Characterization and Properties of Macromolecules. III. Gel-Permeation Chromatography: The Effect of Temperature upon the Elution Volume and the Efficiency of the Separation Process, 1423
Cornell, D. D.: see Boerio, F. J.
Coughlin, M. C., and Wunderlich, B.: Polymerization during Crystallization of Selenium, 1735
Coulter, B.: see Spatorico, A. L.
Crist, B.: Small-angle X-Ray Scattering of Semicrystalline Polymers. I. Review of Existing Models, 635
——, and Morosoff, N.: Small-Angle X-Ray Scattering of Semicrystalline Polymers. II. Analysis of Experimental Scattering Curves, 1023
Cross, A., and Haward, R. N.: Thermal Fracture of Plastics, 2423
Curry, J. E., and McKinley, M. D.: Transient Permeation of Organic Vapors Through Elastomeric Membranes, 2209
Dall'Asta, G.: see Tosi, C.
Davis, L. A., Baughman, R. H., and Pampillo, C. A.: Relevance of Cage Recombination in the Plastic Deformation of Polymers, 2441
——, Pampillo, C. A., and Chiang, T. C.: Generation and Decay of Peroxy Radicals in Deformed Polyethylene, 841
Davis, M. K.: see Ham, J. S.
Davis, T. G.: see Pell, T. M., Jr.
De Candia, F., Romano, G., and Vittoria, V.: Melting Behavior of a Natural Rubber Network Under Stress, 2291
Delf, B.: see Tanaka, A.
Delf, B. W.: see Johnson, R. G. L.
De Ligny, C. L.: see Hammers, W. E.
Dillinger, J. R.: see Madding, R. P.
——: see Zoller, P.
Dlugosz, J., Folkes, M. J., and Keller, A.: Macrolattice Based on a Lamellar Morphology in an SBS copolymer, 929
Dodgson, D. V.: see Booth, C.
Dollimore, D., and Holt, B.: Thermal Degradation of Cellulose in Nitrogen, 1703
Dreval, V. E., Malkin, A. Ya., and Botvinnik, G. O.: Approach to Generalization of Concentration Dependence of Zero-Shear Viscosity in Polymer Solutions, 1055
Dreyfuss, P.: Survey of the Long Spacing of Polyamides Crystallized from Solution, 201
——, and Keller, A.: Invariance of the Long Spacing–Crystallization Temperature Dependence of Polyamides Precipitated from the Solution, 193
Dweltz, N. E.: see Kulshreshtha, A. K.
Elias, H-G.: see Sŏlc, K.
Ellis, B., and Baugher, J. F.: ESR Spectra of SBR-Rubber and SBR-Carbon Black Masterbatches, 1461
——: see Clark-Monks, C.
Endo, H.: see Kajiura, H.
Engler, P., and Carr, S. H.: Microbial Degradation of Polymer Solids. I. Cellophane, 313
Fehl, D. L.: see Madding, R. P.

——: see Zoller, P.
Fitchmun, D. R., and Mencik, Z.: Morphology of Injection-Molded Polypropylene, 951
——: see Mencik, Z.
Flory, P. J.: Conformational Energies, Stereoregularity, and the Role of Nonstaggered Conformations in Polymer Chains, 621
Folkes, M. J.: see Dlugosz, J.
Fredericks, R. J.: see Shalaby, S. W.
Frey, H: see Stafford, J. W.
Frisch, H. L.: see Schonhorn, H.
Fujita, H.: Notes on Polymer Hydrodynamics, 899
Furukawa, J.: see Kitao, T.
Gautier, P.: see Chatain, D.
Gay, F. P.: Polymer Emissivity, 2227
Gent, A. N., and Kuan, T. H.: Thermoelasticity of Stretched Elastomers under Small Torsions: Effects of Crosslinking, Extension, and Swelling, 1723
Ghijsels, A., and Mieras, H. J. M. A.: Melt Flow Behavior as a Tool for the Determination of the Extent of Long-Chain Branching in Polymers, 1849
Gieniewski, C.: see Roe, R-J.
Girolamo, M.: see Jones, D. H.
Gleiter, H.: see Peterman, J.
Gronski, W., and Klesper, E.: Statistics of Configurational Sequences in Binary Vinyl Copolymers with Asymmetric α-Carbon Atoms, 1963
Gruner, C. L.: see Kambour, R. P.
Ham, J. S., Davis, M. K., and Song, J-H: Use of Chloranil to Trap Free Radicals in Nylon 6, 217
Hammers, W. E., De Ligny, C. L., and Vass, L. H.: Thermodynamics of *n*-Alkane Systems and the Solution Theories of Flory and Prigogine, 499
Harrison, I. R.: Polyethylene Single Crystals: Melting and Morphology, 991
——: see Wessling, R. A.
Hasa, J., and van der Hoff, B. M. E.: Stress-Strain Behavior in Extension of Elastomer Networks with Crosslinks of Different Lengths, 297
——: see Ilavský, M.
Hashimoto, T., Prud'homme, R. E., Keedy, D. A., and Stein, R. S.: Dynamic Light Scattering of Polyethylene. I. Introduction and Experimental Procedures, 693
——, and Stein, R. S.: Dynamic Light Scattering of Polyethylene. II. Results and Interpretation, 709
——, Todo, A., and Kawai, H.: Light Scattering from Tilted Two-Dimensional Spherulites, 149
——: see Kato, Y.
Hatakeyama, T., and Kanetsuna, H.: Hydrogen Bonding Effects in the Glassy State of Random Copolyamides, 815
Haward, R. N.: see Cross, A.
Hermans, J. J.: see Szu, S. C.
Hertzberg, R. W.: see Manson, J. A.
Hickman, J. J., and Ikeda, R. M.: Studies of Polymer Blends. I. Compatibility of Poly(vinyl Chloride) and Poly(ethylene-*co*-vinyl acetate-*co*-sulfur dioxide), 1713
Hoeve, C. A. J.: see Wagner, H. L.
Holoubek, J.: Small-Angle Scattering of Circularly Polarized Light from an Anisotropic Sphere, 683
Holt, B.: see Dollimore, D.
Hopfinger, A. J.: see Mauritz, K. A.
Hosemann, R.: see Phaovibul, O.
Hoshino, S.: see Inoue, K.
Hull, D., and Owen, T. W.: Interpretation of Fracture Surface Features in Polycarbonate, 2039
Ikeda, R. M.: see Hickman, J. J.
Ilavský, M., and Hasa, J.: Effect of the Reference Chain Dimension on the Viscoelastic and Stress–Strain Behavior of Poly(*n*-Butyl Methacrylate) Networks, 539
Inoue, K., and Hoshino, S.: Crystal Structure of Nylon 12, 1077
Inoue, Y., Chûjô, R., and Nishioka, A.: Carbon-13 Nuclear Magnetic Resonance Spectroscopy of Poly(vinyl Alcohol), 393
——, Nishioka, A., and Chujô, R.: Carbon-13 Spin-Lattice Relaxation Study of Linear Polymers in Solution, 2237
Irvine, J. D., and Work, R. N.: Dielectric Relaxation in Styrene-Related Polymers at Low Temperatures, 175
Isayev, A. I.: Generalized Characterization of Relaxation

Properties and High Elasticity of Polymeric Systems, 2123
Ishida, Y.: see Nakagawa, K.
——: see Osaki, S.
——: see Tanaka, A.
Ishikawa, K.: see Oono, R.
——: see Tanioka, A.
——: see Yamada, M.
Isnard, R.: see Bourdariat, J.
Ito, Y., and Shishido, S.: Steady-Shear Viscosity of Polydimethylsiloxanes over the Range from the Lower to the Upper Newtonian Region, 2283
Iwamoto, R., and Wunderlich, B.: Crystal Structure of Poly-*p*-xylylene. I. The α Form, 2403
Jackson, J. F.: see Miller, P. J.
Janáček, J., and Raab, M.: Ultimate Properties of Lightly Crosslinked Polymer Networks in the Long-Time Region, 2311
Jannink, G.: see Caroli, B.
Johnson, R. G. L., Delf, B. W., and MacKnight, W. J.: Structure of Some Ethylene–Phosphonic Acid Copolymers, 571
Jojima, E.: see Tanioka, A.
Jones, D. H., Latham, A. J., Keller, A., and Girolamo, M.: Fold Length of Single Crystals of Polystyrene: A Conflict with Crystallization Theories at High Supercoolings, 1759
Jones, P. F.: Polymer Photoprotection by Copolymerized Triplet Quenchers, 1863
Kaelble, D. H.: see Cirlin, E. H.
Kajiura, H., Endo, H., and Nagasawa, M.: Sinusoidal Normal Stress Measurements with the Weissenberg Rheogoniometer, 2371
Kambour, R. P., Gruner, C. L., and Romagosa, E. E.: Solvent Crazing of "Dry" Polystyrene and "Dry" Crazing of Plasticized Polystyrene, 1879
Kaneko, M.: see Kuwahara, N.
Kanetsuna, H.: see Hatakeyama, T.
Kaniskin, V. A.: see Shen, M.
Kataoka, T.: see Ueda, S.
Kato, Y., Kido, S., and Hashimoto, T.: High Resolution Gel-Permeation Chromatography, 2329
Kausch, H. H., and Langbein, D.: Elastic Interaction between Linear Polymeric Chains and Periodic Potentials, 1201
Kawai, H.: see Hashimoto, T.
——: see Matsuo, M.
Kawamura, Y.: see Shimizu, K.
Keedy, D. A.: see Hashimoto, T.
Keggenhoff, B., and Wegner, G.: Solid-State Polymerization of Oxetanes. I. Lattice Parameters and Packing Properties of the Monomers, 759
——, and ——: Solid-State Polymerization of Oxetanes. II. Investigation of the Growth of the Polymer Phase as Related to the Mechanism of Polymerization, 769
Keller, A.: see Dlugosz, J.
——: see Dreyfuss, P.
——: see Jones, D. H.
Kido, S.: see Kato, Y.
Kimura, I.: see Tanaka, A.
Kinloch, A. J.: see Andrews, E. H.
Kitao, T., Ohya, S., Furukawa, J., and Yamashita, S.: Orientation of Polymer Molecules during Melt Spinning. II. Orientation of Crystals in As-Spun Polyolefin Fibers, 1091
Klesper, E.: see Gronski, W.
Kobayashi, M.: see Tadokoro, H.
Kohn, M. C.: Energy Storage in Drag-Reducing Polymer Solutions, 2339
Kojima, J.: see Kuwahara, N.
Kondo, T.: see Narisawa, I.
Kratochvíl, P.: see Stejskal, J.
——: see Vorlíček, J.
Krause, S., and Stroud, D. E.: Cloud-Point Curves for Polystyrenes of Low Polydispersity in Cyclohexane Solution, 2253
Krigbaum, W. R., Yazgan, S., and Tolbert, W. R.: Some Comments on Domain Structures in Block Copolymers, 511
Krishnamurthy, S., McIntyre, D., Santee, E. R., Jr., and Wilson, C. W., III: NMR of Dissolved Water in Ultrathin and Thick Membranes of Cellulose Acetate, 427
Kuan, T. H.: see Gent, A. N.
Kulshreshtha, A. K., and Dweltz, N. E.: Paracrystalline Lattice Disorder in Cellulose. I. Reappraisal of the Application of the Two-Phase Hypothesis to the Analysis of Powder X-Ray Diffractograms of Native and Hydrolyzed Cellulosic Materials, 487

Kuriyama, I.: see Arai, H.
Kusumoto, N.: see Nagamura, T.
Kuwahara, N., Kojima, J., Kaneko, M., and Chu, B.: Coexistence Curve of the Polystyrene–Cyclohexane System in the Critical Region, 2307
Lacabanne, C., and Chatain, D.: Depolarization Thermocurrents in Amorphous Polymers, 2315
——: see Chatain, D.
Langbein, D.: see Kausch, H. H.
Lanza, E.: see Berghmans, H.
——, Berghmans, H., and Smets, G.: Tetrachloro-bisphenol-A Adipate Polymers. I. Crystallization of Poly(tetrachlorobisphenol-A Adipate), 75
——, ——, and ——: Tetrachloro-bisphenol-A Polymers. III. Synthesis and Crystalline Properties of Block Copolymers of Poly-(tetrachlorobisphenol-A Adipate) and Polystyrene, 95
Larsen, D. W., and Strange, J. H.: Pulsed NMR Study of Molecular Motion in Uncured Diglycidyl Ether of Bisphenol-A, 65
——, and ——: Pulsed NMR Study of Molecular Motion in the Diglycidyl Ether of Bisphenol-A Cured with 4,4′-Methylenedianiline, 449
——, and ——: Diglycidyl Ether of Bisphenol-A with 4,4′-Methylene-dianiline: A Pulsed NMR Study of the Curing Process, 1453
Latham, A. J.: see Jones, D. H.
Leary, D. F., and Williams, M. C.: Statistical Thermodynamics of ABA Block Copolymers. II, 345
Loboda-Čačković, J.: see Phaovibul, O.
Looyenga, H.: Relation Between Refractive Index and Density of Polymer Solutions, 1331
Luch, D., and Yeh, G. S. Y.: Strain-Induced Crystallization of Natural Rubber. III. Reexamination of Axial-Stress Changes during Oriented Crystallization of Natural Rubber Vulcanizates, 467
Machin, D., and Rogers, C. E.: Mass and Momentum Transfer in Polymers. II. Effects of Concurrent Sorption or Desorption of Penetrant on Tensile Creep of an Amorphous Polymer, 1535
——, and ——: Mass and Momentum Transfer in Polymers. III. Effects of Liquid Penetrants on Tensile Stress Relaxation of Amorphous Polymers, 1555
MacKnight, W. J.: see Johnson, R. G. L.
Madding, R. P., Fehl, D. L., and Dillinger, J. R.: Experimental Evidence for a Low-Lying Torsional Mode in Polymers, 1435
Magill, J. H.: see Matsubara, I.
Makino, S.: see Ohno, N.
Malkin, A. Ya.: see Dreval, V. E.
Manley, R. St. J.: Gel-Permeation Chromatographic Studies of Cellulose Degradation. II. Methanolysis of Cellulose Triacetate, 2303
——: see Chang, M.
Manson, J. A., and Hertzberg, R. W.: Fracture of High-Impact Polystyrene Under Fatigue Loading, 2483
Matsubara, I., and Magill, J. H.: Lower-Frequency Infrared Spectra and Structures of Some Typical Aliphatic Polyamides, 1173
Mark, J. E.: Random-Coil Dimensions and Dipole Moments of Propylene–Vinyl Chloride Copolymers, 1375
Markovitz, H.: Relative Rates of Creep and Relaxation in Shear, Elongation, and Isotropic Compression, 1769
Maruyama, S.: see Yamaguchi, K.
Matsuo, K., and Stockmayer, W. H.: Solution Properties and Unperturbed Dimensions of Poly-*p*-fluorostyrene and Poly-*m*-fluorostyrene, 43
Matsuo, M., Nomura, S., and Kawai, H.: Preferential Uniplanar Orientation Mechanism of the (101) Crystal Plane of Regenerated Cellulose, 2057
Mauritz, K. A., Baer, E., and Hopfinger, A. J.: Molecular Energetics of the Epitaxial Crystallization of Poly-ethylene on Alkali Halide Substrates, 2185
Mayhan, K. G.: see Tsimpris, C. W.
McCullough, R. L.: see Yemni, T.
McIntyre, D.: see Krishnamurthy, S.
McKinley, M. D.: see Curry, J. E.
Mehta, R. E., and Bell, J. P.: Chain-Folding Measurements in Annealed Poly(ethylene Terephthalate), 1795
Melveger, A. J., and Baughman, R. H.: Raman Spectral Cnanges During the Solid-State Polymerization of Diacetylenes, 603

Mencik, Z.: Crystal Structure of Polychlorotrifluoroethylene, 1585
——, and Fitchmun, D. R.: Texture of Injection-Molded Polypropylene, 973
——: see Fitchmun, D. R.
Mieras, H. J. M. A.: see Ghijsels, A.
Miller, P. J., Jackson, J. F., and Porter, R. S.: Infrared Dichroism of Polyethylene Crystallized by Orientation and Pressure in a Capillary Viscometer, 2001
Misra, A.: see Stein, R. S.
Miyake, Y.: see Chatani, Y.
Miyasaka, K.: see Oono, R.
——: see Tanioka, A.
——: see Yamada, M.
Mocherla, K. K., and Bell, J. P.: Morphology of Uniaxially Oriented Poly(ethylene Terephthalate), 1779
Moon, P. C., and Barker, R. E., Jr.: An Entanglement Model for the Dependence of Fracture Surface Energy on Molecular Weight, 909
Morgan, R. J.: Cryogenic Tensil Stress–Strain Properties of *Cis*- and *Trans*-Polybutadienes, Polyisoprenes, and Related Copolymers, 1271
Morosoff, N.: see Crist, B.
——: see Sakaoku, K.
Müller, N.: see Strobl, G. R.
Murayama, T., and Silverman, B.: Dynamic Mechanical Properties of High Molecular Weight Nylon 66 Fiber, 1873
Nagamura, T., Kusumoto, N., and Takayanagi, M.: ESR Study of Structural Changes in High-Density Polyethylene Subjected to Cyclic Tensile Stress, 2357
Nagasawa, M.: see Kajiura, H.
Nakagawa, K., and Ishida, Y.: Dielectric Relaxations and Molecular Motions in Poly(vinylidene Fluoride) with Crystal Form II, 1503
——, and ——: Annealing Effects in Poly(vinylidene Fluoride as Revealed by Specific Volume Measurements, Differential Scanning Calorimetry, and Electron Microscopy, 2153
Nakamura, S.: see Ogura, K.
Narisawa, I., and Kondo, T.: Kinetics of Craze Formation in Glassy Polymers, 223
——, and ——: Creep Failure in Highly Oriented Nylon 6 Fibers, 1235
Nelson, B. E., and Turner, D. T.: Griffith Fracture of a Phenol–Formaldehyde Polymer, 1949
Nishioka, A.: see Inoue, Y.
Nitta, K.: see Ohno, N.
Nomura, S: see Matsuo, M.
Novak, I. I.: see Vettegren, V. I.
Odin, J.: see Bourdariat, J.
Ogura, K., Sobue, H., and Nakamura, S.: Infrared Spectroscopic Studys of Polymer Transitions. III. Effects of Sodium Ion on Glass Transitions in Styrene-Based Ionomers, 2079
Ohno, N., Nitta, K., Makino, S., and Sugai, S.: Conformational Transition of the Copolymer of Maleic Acid and Styrene in Aqueous Solution, 413
Ohno, T.: see Chatani, Y.
Ohya, S.: see Kitao, T.
Oono, R., Miyasaka, K., and Ishikawa, K.: Crystallization Kinetics of Biaxially Stretched Natural Rubber, 1477
Osaki, K., and Schrag, J. L.: Numerical Calculations of the Viscoelastic Properties of Solutions of Branched Polymers Based on the Zimm-Kilb Theory, 549
Osaki, S., and Ishida, Y.: Injection of Metal Ions into Polymer Film by an Electric Field, 801
Oswald, J. H.: see Wessling, R. A.
Owen, T. W.: see Hull, D.
Pampillo, C. A.: see Davis, L. A.
Patterson, D.: see Schreiber, H. P.
Paul, D. R.: Relation Between Hydraulic Permeability and Diffusion in Homogeneous Swollen Membranes, 289
Pearce, E. M.: see Shalaby, S. W.
Pell, T. M., Jr., and Davis, T. G.: Diffusion and Reaction in Polyester Melts, 1671
Peška, J.: see Stejskal, J.
Peterlin, A.: see Sakaoku, K.
Peterman, J., and Gleiter, H.: Drawing of Fibers from Irradiated Polyethylene Single Crystals, 359
Petropoulos, J. H.: Flow Reversal Effects in a Simple Laminated Membrane Diffusion System, 1867

Phaovibul, O., Čačković, H., Loboda-Čačković, J., and Hosemann, R.: Phase Transition and Paracrystalline Order in Solution-Crystallized Solid *n*-Paraffins, 2377
——, Loboda-Čačković, J., Hosemann, R., and Baltá-Calleja, F. J.: Detection of "Memory" Effects in Polyethylene by Magnetic Susceptibility, 2273
Pickles, C. J.: see Booth, C.
Porter, R. S.: see Miller, P. J.
Pound, T. C.: see Chang, M.
Prud'homme, R. E.: see Hashimoto, T.
——, and Stein, R. S.: Dynamic Light-Scattering Study of an Ethylene–Methacrylic Acid Copolymer and its Salt, 1347
——, and ——: Light Scattering from Assemblies of Spherulites, 1357
——, and ——: Scattering from Truncated Spherulites, 1683
——, Yoon, D., and Stein, R. S.: Scattering of Light from Spherulitic Polymers: Effect of Internal Structure, 1047
Raab, M.: see Janáček, J.
Randall, J. C.: Carbon-13 NMR of Ethylene-1-Olefin Copolymers: Extension to the Short-Chain Branch Distribution in a Low-Density Polyethylene, 275
Roche, E. J.: see Chanzy, H. D.
Roe, R-J., Gieniewski, C., and Vadimsky, R. G.: Lamellar Thickening in Polyethylene Single Crystals Annealed Under Low and High Pressure, 1653
Rogers, C. E.: see Machin, D.
Romagosa, E. E.: see Kambour, R. P.
Romano, G.: see De Candia, F.
Saeda, S.: Analysis of Flow Behavior of Polyethylenes and Polypropylenes with Graessley's Theory, 1465
Saint-James, D.: see Carcli, B.
Sakaoku, K., Morosoff, N., and Peterlin, A.: Drawing of Nylon 6 Fibers (Bristles), 31
Samuels, S. L., and Wilkes, G. L.: Comments on the Multiple Endothermic Behavior Observed in Segmented Urethane Systems, 807
Santappa, M.: see Srinivasan, K. S. V.
Santee, E. R., Jr.: see Krishnamurthy, S.
Sasabe, H.: Local Mode Relaxation in Polychlorotrifluoroethylene, 2413
Sasaki, S., and Tadokoro, H.: Structural Studies on Polyformals. III. Poly-1,3-dioxocane and Poly-1,3-dioxonane, 1985
Sato, T.: see Takahashi, Y.
Schonhorn, H., and Frisch, H. L.: Environmental Aspects of Adhesion and Adhesive Joint Strength, 1005
——, ——, and Albarino, R. V.: Environmental Stress Cracking of Polyethylene, 1013
Schrag, J. L.: see Osaki, K.
Schreiber, H. P., Tewari, Y. B., and Patterson, D.: Thermodynamic Interactions in Polymer Systems by Gas–Liquid Chromatography. III. Polyethylene–Hydrocarbons, 15
Shalaby, S. W., Fredericks, R. J., and Pearce, E. M.: Effect of N-Substitution on the Crystallinity of Polylaurolactam, 939
——, Pearce, E. M., Fredericks, R. J., and Turi, E. A.: Structure and Thermal Stability of Aliphatic Polyoxamides, 1
Shen, M., Kaminskin, V. A., Biliyar, K., and Boyd, R. H.: Ultrasonic Absorption and Dielectric Loss in Heterophase Block Copolymers, 2261
Shimizu, K., Yano, O., Wada, Y., and Kawamura, Y.: Dielectric and Ultrasonic Studies of the δ-Relaxation of Poly(ethyl Methacrylate), 1641
Shishido, S.: see Ito, Y.
Silverman, B.: see Murayama, T.
Smets, G.: see Berghmans, H.
——: see Lanza, E.
Smith, P. M.: see Bullock, A. T.
Sobue, H.: see Ogura, K.
Sölc, K., and Elias, H-G.: Multimerization: Association and Aggregation. XIII. Concentration Dependence of Apparent Average Molecular Weights of a Poly-disperse Associating Polymer in a Theta Solvent, 137
Song, J-H.: see Ham, J. S.
Spatorico, A. L., and Coulter, B.: Molecular Weight Determinations by Gel-Permeation Chromatography and Viscometry, 1139
Srinivasan, K. S. V., and Santappa, M.: Dilute Solution Properties and

Molecular Characterization of Poly-(butyl Methacrylate-*co*-Styrene), 331
Stafford, J. W., and Frey, H.: Transformation Equation for the Crystallization of Polymers, 2489
Starkweather, H. W., Jr.: Internal Motions in an Alternating Copolymer of Ethylene and Tetrafluoroethylene, 587
——: see Wilson, F. C.
Stejskal, J., Beneš, M. J., Kratochvíl, P., and Peška, J.: Solution Properties of Polymers of Pyridinium and Ammonium Methacrylates, 1803
Stein, R. S.: see Hashimoto, T.
——: see Prud'homme, R. E.
——: see Tanaka, A.
——, and Misra, A.: Kinetics of Growth of Developing Spherulites, 109
Stern, S. A.: see Suwandi, M. S.
Stockmayer, W. H.: see Matsuo, K.
Strange, J. J.: see Larsen, D. W.
Stratton, R. A., and Butcher, A. F.: Stress Relaxation upon Cessation of Steady Flow and the Overshoot Effect of Polymer Solutions, 1747
Strobl, G. R., and Müller, N.: Small-Angle X-Ray Scattering Experiments for Investigating the Validity of the Two-Phase Model, 1219
Stroud, D. E.: see Krause, S.
Sugai, S.: see Ohno, N.
Sumita, I.: see Takahashi, Y.
Suwandi, M. S., and Stern, S. A.: Transport of Heavy Organic Vapors through Silicone Rubber, 663
Szu, S. C., and Hermans, J. J.: Hydrodynamic Interaction for Time-Dependent Motions: Steady Rotation of a Rigid Dumbbell, 1941
Tadokoro, H.: see Sasaki, S.
——: see Takahashi, Y.
——, Tai, K., Yokoyama, M., and Kobayashi, M.: Conformational and Packing Stability of Crystalline Polymers. II. Several Isotactic Helical Polymers, 825
Tai, K.: see Tadokoro, H.
Takahashi, Y., Sato, T., Tadokoro, H., and Tanaka, Y.: Crystal Structure of α-Gutta Percha: Modification of the Constrained Least-Squares Method, 233
——, Sumita, I., and Takokoro, H.: Structural Studies of Polyethers. IX. Planar Zigzag Modification of Poly(ethylene Oxide), 2113
Takayanagi, M.: see Nagamura, T.
Takehisa, M.: see Yamaguchi, K.
Takokoro, H.: see Takahashi, Y.
Tanaka, A., and Ishida, Y.: Relation between Dielectric Behavior and Structure in Some Solid Polypeptides, 1117
——, Chang, E. P., Delf, B., Kimura, I., and Stein, R. S.: Rheo-Optical Studies of the Nature of the α Mechanical Loss Mechanism of Polyethylene, 1891
Tanaka, Y.: see Takahashi, Y.
Tanioka, A., Jojima, E., Miyasaka, K., and Ishikawa, K.: Effect of Water on the Mechanical Properties of Collagen Films, 1489
Tewari, Y. B.: see Schreiber, H. P.
Tibensky, G. M.: see Wintle, H. J.
Todo, A.: see Hashimoto, T.
Toi, K.: Diffusion and Sorption of Gases in Poly(ethylene Terephthalate), 1829
Tolbert, W. R.: see Krigbaum, W. R.
Tosi, C., Ciampelli, F., and Dall'Asta, G.: Spectroscopic Method for the Analysis of Polyalkenamers, 529
Treiber, G., Boehlke, K., Weitz, A., and Wunderlich, B.: Crystallization during Polymerization of Poly-*p*-xylylene. II. Polymerization at Low Temperature, 1111
Tsimpris, C. W., and Mayhan, K. G.: Synthesis and Characterization of Poly(*p*-phenylene pyromellitamic acid), 1151
Tshudy, J. A., and Von Frankenberg, C.: A Model Incorporating Reversible Immobilization for Sorption and Diffusion in Glassy Polymers, 2027
Tung, L. H.: Unperturbed Dimensions of Comblike Branched Polymer Chains, 1247
——, and Wiley, R. M.: Random Grafting Statistics in Graft Distribution Analysis, 1413
Turi, E. A.: see Baughman, R. H.
——: see Shalaby, S. W.
Turner, A. P. L.: see Wu, W.
Turner, D. T.: see Nelson, B. E.
Ueda, S., and Kataoka, T.: Steady-Flow Viscous and Elastic Properties of Polyisobutylene Solutions in Low Molecular Weight Polybutene, 1975

Uhlmann, D. R.: see Calvert, P. D.
Vadimsky, R. G.: see Roe, R-J.
Vadovic, C. J., and Colver, C. P.: Temperature Dependence of Diffusion in the Polystyrene–Cyclohexane System, 389
van der Hoff, B. M. E.: see Hasa, J.
Vass, L. H.: see Hammers, W. E.
Vettegren, V. I., and Novak, I. I.: Determination of Atomic Stress Distribution in Stressed Polymers by Infrared Spectroscopy, 2135
Vezzoli, G. C.: Interpretation of Boundaries in the Pressure–Temperature Diagram for Liquid Tellurium and their Relationship to the Melting-Curve Maximum, 1337
Vittoria, V.: see De Candia, F.
Von Frankenberg, C.: see Tshudy, J. A.
Vorlíček, J., and Kratochvíl, P.: Feasibility of Determination of Heterogeneity in Copolymer Composition by Light Scattering, 855
——, and ——: Calculation of Composition Heterogeneity of Block and Graft Copolymers, 1251
Vuong, R. K.: see Chanzy, H. D.
Wada, T.: see Arai, H.
——: see Yamaguchi, K.
Wada, Y.: see Shimizu, K.
Wagner, H. L., and Hoeve, C. A. J.: Mark-Houwink Relations for Linear Polyethylene in 1-Chloronaphthalene and 1,2,4-Trichlorobenzene, 1189
Wang, T. T.: On the Stress-Dependent Diffusion Equation, 601
Wegner, G.: see Keggenhoff, B.
Weitz, A.: see Treiber, G.
Welch, J., and Bloomfield, V. A.: Fitting Polymer Distribution Data to a Schulz-Zimm Function, 1855
Wessling, R. A., Oswald, J. H., and Harrison, I. R.: Effect of Polymerization Conditions on the Morphology of As-Polymerized Poly(vinylidene Chloride), 875
Westerman, L., and Clark, J. C.: Low-Density Polyethylene: Variation of Branching Frequency with Molecular Weight and Its Influence on Molecular Weights as Determined by Gel-Permeation Chromatography, 559
White, J. R.: Moiré Patterns in the Electron Image of Solution-Grown Polymer Crystals, 2173
Wiley, R. M.: see Tung, L. H.
Wilkes, G. L.: see Samuels, S. L.
Williams, M. C.: see Leary, D. F.
Wilson, C. W., III: see Krishnamurthy, S.
Wilson, F. C., and Starkweather, H. W., Jr.: Crystal Structure of an Alternating Copolymer of Ethylene and Tetrafluoroethylene, 919
Wintle, H. J., and Tibensky, G. M.: Absorption Currents and Photocurrents in Polyethylene, 25
Work, R. N.: see Irvine, J. D.
Wrasidlo, W. J.: The Nature of Dielectric Losses in H-Film, 2143
Wright, P. V.: Cyclization Equilibrium Constants and the Conformations of Polydimethylsiloxane Chains, 51
Wristers, J.: Nascent Polypropylene Morphology: Polymer Fiber, 1601
——: Direct Examination of Polymerization Catalyst by Electron Scanning Microscopy, 1619
Wu, W., and Turner, A. P. L.: Shear Bands in Polycarbonate, 2199
Wunderlich, B.: see Bares, V.
——: see Coughlin, M. C.
——: see Iwamoto, R.
——: see Treiber, G.
Wündrich, K.: Influence of Molecular Motions on Radiation-Induced Reactions in Polymers, 1293
Yamada, M., Miyasaka, K., and Ishikawa, K.: Rolling of Polyethylene Single-Crystal Mats, 2393
Yamaguchi, K., Wada, T., Maruyama, S., and Takehisa, M.: Molecular Weight Distribution and Molecular Structure of Polyethylene Produced by Radiation-Induced Polymerization 1573
Yamashita, S.: see Kitao, T.
Yamauchi, T.: see Chatani, Y.
Yano, O.: see Shimizu, K.
Yazgan, S.: see Krigbaum, W. R.
Yeh, G. S. Y.: see Luch, D.
Yemni, T., and McCullough, R. L.: Energetics of Phase Transformations in Polyethylene, 1385
Yokoyama, M.: see Tadokoro, H.
Yoon, D.: see Prud'homme, R. E.
Yuann, J. K.: see Boerio, F. J.
Zoller, P., Fehl, D. L., and Dillinger, J. R.: Low-Temperature Specific Heat of Polystyrene and Related Polymers (1.6° to 4°K), 1441

SUBJECT INDEX, VOLUME 11

Adhesive joint strength, environmental effects on, 1005
Adsorption: of gases in poly(ethylene terephthalate), 1829
of solvent, mechanical properties affected by, 1535
of vapor by filled resins, 2089
of water in cellulose acetate film, 427
of water in collagen film, 489
n-Alkane systems, statistical thermodynamics of, 499
Birefringence: dynamic, and mechanical loss in polyethylene, 1891
of nylon 6 fibers under stress, 1235
of polyolefin fibers, 1091
Bisphenol-A, diglycidyl ether of: molecular motion in, 65, 449
NMR study of curing of, 1453
Blends, compatibility of polymers in, 1713
Butadiene-styrene copolymer, crosslink density and adhesive strength of, 269
Butyl methacrylate-styrene copolymer, dilute solution properties of, 331
Carbon black in rubber matrix, dielectric constant of, 1319
Cellulose: lattice structure in, 487
microbial degradation of, 313
thermal degradation of, 1703
Cellulose acetate, state of water in membranes of, 427
Cellulose, acetyl, intrinsic viscosity of, 1055
Cellulose, acid-degraded, molecular weight distribution in, 399
Cellulose, regenerated, molecular orientation in, 2057
Cellulose triacetate: crystallization of, 1859
methanolysis of, 2303
Chain branching: and melt viscosity, 1849
and viscoelastic properties of polymer solutions, 549
effect on molecular weight determination, 559
frequency in polyethylene, 559, 1573
unperturbed dimensions of comblike chains, 1247
Chain conformation: and cyclization in polydimethylsiloxanes, 51
"memory" effects in polyethylene, 2273
Chain folding: effect of crystallization temperature on, 1759
in ethylene oxide-propylene oxide block copolymers, 249
in polyamides, 193, 201
in polyethylene, 1653
in poly(ethylene terephthalate) films, 1793
in polystyrene, 1759
Chains, elastic interactions of, in stressed crystals, 1201
4-Chlorostyrene-4-methylstyrene copolymer, dielectric relaxation in, 175
Collagen: dielectric relaxation of, 737
effect of water on mechanical properties of, 1489
Configurational statistics of vinyl copolymers, 1963
Conformational energies in polymer chains, 621
Conformational stability of isotactic helical polymers, 825
Conformation transition in aqueous maleic acid-styrene, 413
Copolymers: binary vinyl, configurational sequences in, 1963
block and graft, composition heterogeneity of, 1251
butadiene-styrene-butadiene three-block, morphology of, 929
composition of, from Raman spectroscopy, 1841
domain structures in styrene-butadiene block, 511
ethylene-methacrylic acid, light scattering from solutions of, 1347
ethylene oxide-propylene oxide block, melting behavior of, 249, 265
ethylene-tetrafluoroethylene, crystal structure of, 919
ethylene-tetrafluoroethylene, internal motions in, 587
graft distribution analysis of graft copolymers, 1413

heterogeneity of, from light scattering, 855
heterophase block, ultrasonic absorption and dielectric loss in, 2261
hydrogen bonding in random copolyamides, 815
melt-flow behavior of star-shaped branched, 1849
photoprotection by copolymerized quenchers, 1863
propylene-vinyl chloride, dipole moments of, 1375
statistical thermodynamics of ABA block, 345
tetrachlorobisphenol-A adipate-styrene block, synthesis and crystalline properties of, 95
Craze yielding, effect of gases on, 2099
Crazing of polystyrene, effect of solvents on, 1879
Crosslinked polymers: crosslink density and joint strength of adhesives, 269
diffusion in polyacrylamide gels, 289
effect of water on mechanical properties of collagen, 1489
low temperature specific heat of crosslinked polystyrene, 1441
poly(*n*-butyl methacrylate) networks, viscoelasticity and stress-strain in, 539
sound velocities in crosslinked polystyrene, 1425
stress-strain relations in networks of, poly(butyl acrylate), 297
thermoelasticity under small torsions, 1723
Crystal, negative thermal expansion of, 2453
Crystallinity: "memory" effects in polyethylene, 2273
of cellulose, 487
of polyethylene, infrared dichroism in, 2001
of polylaurolactam, effect of N-substitution on, 939
of polyolefin fibers, 1091
of poly(tetrachlorobisphenol-A adipate), 75
of poly(vinylidene chloride), 875
of poly(vinylidene fluoride), 2153
of tetrachlorobisphenol-A adipate-styrene block copolymers, 95
Crystallization: equation for kinetics of, 2489
in polymerization of selenium, 1735
in polymerization of *p*-xylylene, 1111
mechanism of heterogeneous nucleation in polyolefins, 117
of cellulose triacetate, 1859
of polyethylene on alkali halides, energetics of, 2185
of poly(tetrachlorobisphenol-A adipate), 75, 87
of strained natural rubber, 467, 1477
temperature of, effect on chainfold length, 1759
theoretical light scattering patterns during, 109
Deformation: of polyethylene, radical generation and decay in, 841
of polymers, mechanism of degradation by, 2441
of polyolefins in fibers, 1091
Density: of polycarbonate, 2199
of polyolefin fibers, 1091
of poly(vinyl chloride) blends, 1713
relationship with refractive index of polymer solutions, 1331
Diacetylenes, Raman spectra during solid state polymerization, 603
Diamagnetic susceptibility and "memory" in polyethylene, 2273
Dielectric constant of carbon black in rubber matrix, 1319
Dielectric constant of polyvinylidene films, role of ions in, 801
Dielectric depolarization in nylon 66, thermocurrents from, 1631
Dielectric relaxation: and structure of polypeptides, 1117
of collagen and gelatin, 737
in copolymers of 4-chlorostyrene and 4-methylstyrene, 175
in ethylene-tetrafluoroethylene copolymer, 587
in heterophase block copolymers, 2261
in H-Film (poly-4,4′-oxydiphenylene-pyromellitimide), 2143
in polychlorotrifluoroethylene, 2413
in poly(ethyl methacrylate), 1641
in poly(vinylidene fluoride), 1503
temperature-dependent variation of, by depolarization thermocurrent method, 2315
Differential scanning calorimetry: determination of heat capacities of molten polymers, 861
of oxetanes, 759
of phenol-formaldehyde polymer, 1949
of polyethylene single crystals, 991

of polylaurolactams, 939
of poly(vinyl chloride) blends, 1713
of poly(vinylidene fluoride), 2153
Differential scanning calorimetry of melting: of glassy copolyamides, 815
of polymerized oxetanes, 769
of poly(tetrachlorobisphenol-A adipate), 75
of polyurethanes, 807
of poly(vinylidene chloride), 875
of styrene-methacrylic acid copolymer and sodium salts, 2079
of tetrachlorobisphenol-A adipate-styrene block copolymers, 95
Differential thermal analysis: of polyethylene single crystals, 991
of polyoxamides, 1
of poly(vinylidene chloride), 875
of *p*-xylylene polymerization, 1111
Diffusion: flow reversal effects in laminated membrane, 1867
in glassy polymers, model for, 2027
in homogeneous swollen membranes, 289
in melt polycondensation of poly-(ethylene terephthalate), 1671
of gases in poly(ethylene terephthalate), 1829
of heavy organic vapors through silicone rubber, 663
of organic vapors through rubber, 2209
of polystyrene in cyclohexane solution, 389
Diffusion-controlled mechanical properties in amorphous polymer, 1535, 1555
Diffusion equation, stress-dependent, 601
Dilatometry of aqueous maleic acid-styrene copolymer, 413
Dipole moment of propylene-vinyl chloride copolymer, 1375
Dynamic light scattering of polyethylene, 693, 709
Dynamic mechanical properties: of collagen, effect of water on, 1489
of ethylene-tetrafluoroethylene copolymer, 587
of polyethylene, 1891
of poly(ethylene terephthalate) films, 1779, 1793
of poly(vinyl chloride) blends, 1713
of ultrahigh molecular weight nylon 66, 1873
Electrical properties of carbon black, 1319
Electron diffraction image, tilt moiré pattern in, 2173
Electron diffraction of SBS three-block copolymer, 929
Electron microscopy: of annealed polyethylene crystals, 1653
of cellulose triacetate crystals, 1859
of cellulose under microbial and enzymatic degradation, 313
of drawn polyethylene, 359
of fracture of polystyrene, 2483
of injection-molded polypropylene, 951
of nylon 6 fibers, 31
of polydiacetylene single crystal, 2453
of polyethylene single crystals, 991
of polymerization catalyst, 1619
of polymerizing oxetanes, 769
of poly(*p*-phenylene pyromellitamic acid), 1151
of polypropylene powders, 1601
of poly(tetrachlorobisphenol-A adipate) crystals, 87
of polyurethanes, 807
of poly(vinylidene chloride), 875
of poly(vinylidene fluoride), 2153
of γ-ray polymerized polyethylene, 2297
of SBS three-block copolymer, 929
Electron paramagnetic resonance: see electron spin resonance
Electron scanning microscopy: of polymerization catalyst, 1619
of polypropylene powders, 1601
Electron spin resonance (ESR): of deformed polyethylene, 841, 2357
of nylon 6, 217
of SBR rubber alone and with carbon black, 1461
of spin-labeled polystyrene, 1263
Epoxy resin, molecular motion in, 65
Ethylene-methacrylic acid copolymer, dynamic light scattering study of, 1347
Ethylene-1-olefin copolymers, carbon-13 NMR of, 275
Ethylene oxide-propylene oxide block copolymers, melting behavior of, 249, 265
Ethylene-phosphonic acid copolymers, structure of, 571
Ethylene-tetrafluoroethylene copolymer: crystal structure of, 919
internal motions in, 587
Filled resins, sorption of vapor by, 2089
Fracture of high-impact polystyrene, 2483
Fracture, Griffith equation for, applied to phenol-formaldehyde polymer, 1949

Fracture surface energy, molecular weight dependence of, 909
Fracture surface features in polycarbonate, 2039
Fracture, thermal, of polyvinylchloride and polycarbonate, 2423
Gas-liquid chromatography of polyethylene-hydrocarbon systems, 15
Gelatin, dielectric relaxation of, 737
Gel permeation chromatography (GPC): apparent GPC molecular weight distribution for graft copolymer, 1413
effect of chain branching on molecular weights from, 559
effect of temperature on efficiency in, 1423
high-resolution method for, 2329
molecular weights from viscometry and GPC, 1139
of acid-degraded cellulose, 399
of degraded cellulose triacetate, 2303
of polydimethylsiloxane, 51
of polyethylene, 559, 1189, 1573
of star-shaped branched styrene-butadiene copolymers, 1849
Glass transition temperature: of crosslinked styrene-butadiene copolymer, 269
of polyhexene-1, 1817
of poly(vinyl chloride) blends, 1713
Glassy polymers: hydrogen bonding in copolyamides, 815
kinetics of craze formation in, 223
model for diffusion and sorption in, 2027
relative rates of creep and relaxation in, 1769
Gutta percha: see polyisoprene
H-Film (poly-4,4′-oxydiphenylene-pyromellitimide), dielectric properties of, 2143
Hexoxecane, crystal structure and polymerization of, 369
Hippuric acid, surface stress and crystal twisting in, 457
Hydrogen bonding: in glassy copolyamides, 815
in styrene-based isomers, 2079
Infrared dichroism of polyethylene crystals, 2001
Infrared spectra: atomic stress distribution from, 2135
of glassy copolyamides, 815
of nylon 6, 2135
of nylon 12, 1077
of polyalkenamers, 529
of polyamides, 1173
of poly(ethylene terephthalate) films, 1779, 1793, 2135
of polyoxamides, 1
of polypeptides, 1117
of poly(*p*-phenylene pyromellitamic acid), 1151
of polypropylene, 2135
Intrinsic viscosity: concentration dependence of zero-shear viscosity, 1055
Mark-Houwink relations for polyethylene, 1189
of acetyl cellulose, 1055
of aqueous maleic acid-styrene copolymer, 413
of branched polyethylene solutions, 559
of butyl methacrylate-styrene copolymer, 331
of polyarylate, 1055
of polybutadiene, 1055
of polydimethylsiloxane, 1055
of polyfluorostyrene, 43
of polyisobutylene, 1055
of polymers of pyridinium and ammonium methacrylates, 1803
of poly(*p*-phenylene pyromellitamic acid), 1151
of polystyrene, 1055
of poly(vinyl acetate), 1055
of radiation-polymerized polyethylene, 1573
role of energy storage in viscous drag reduction, 2339
viscosity-molecular weight calibration for GPC, 1139
Kinetics of craze formation in glassy polymers, 223
Kinetics of crystallization: equation for, 2489
of selenium, 1735
of stretched natural rubber, 1477
Kinetics of polymerization of polyesters, effect of diffusion on, 1671
Kinetics of radical accumulation in strained polyethylene, 841
Kinetics of spherulitic growth: of poly(tetrachlorobisphenol-A adipate), 87
of poly(tetrachlorobisphenol-A adipate)-polystyrene block copolymer, 95
theory of, 109
Kinetics of thermal degradation of cellulose, 1703
Light scattering: during growth of spherulites (theory), 109

feasibility of determination of heterogeneity of copolymers from, 855
from assemblies of spherulites (theory), 1357
from spherulitic polymers, 1047
from tilted two-dimensional spherulites (theory), 149
from truncated spherulites (theory), 1683
of circularly polarized light by anisotropic sphere, 683
of vibrating polyethylene film, 693, 709
Light scattering in solutions: of butyl methacrylate-styrene copolymer, 331
of ethylene-methacrylic acid copolymer and its salt, 1347
of polyelectrolytes (pyridinium and ammonium methacrylate polymers), 1803
of polyethylene, 1189
of polyfluorostyrenes, 43
of poly(*p*-phenylene pyromellitamic acid), 1151
Maleic acid-styrene copolymer, conformational transition of aqueous, 413
Mechanical properties: concurrent diffusion and creep in amorphous polymers, 1535
creep failure of nylon 6 fibers, 1235
formation of shear bands in polycarbonate, 2199
Griffith fracture of phenol-formaldehyde polymer, 1849
thermoelasticity of elastomers under small torsions, 1723
Melting behavior: of ethylene oxide-propylene oxide block copolymers, 249, 265
of natural rubber, 1477, 2291
of polyethylene single crystals, 991
of poly(tetrachlorobisphenol-A adipate), 75
of polyurethanes, 807
of poly(vinylidene chloride), 875
of poly(vinylidene fluoride), 2153
of (tetrachlorobisphenol-A adipate)-styrene block copolymers, 95
Methyl methacrylate-glycidyl methacrylate copolymers, determination of composition from Raman spectra of, 1841
Microbial degradation of cellulose, 313
Molecular motion: effect of, on radiation-induced reactions, 1293
in digylcidyl ether of bisphenol-A, 65, 449
in ethylene-tetrafluoroethylene copolymer, 587
in poly(ethyl methacrylate), 1641
in polymer chains in solution (theory), 2467
in polypeptides, 1117
in poly(vinylidene fluoride), 1503
Molecular weight distribution: in acid-degraded cellulose, 399
of radiation-polymerized polyethylene, 1573
Schulz-Zimm function for, 1855
Molecular weights: concentration dependence of (theory), 137
determination by GPC and viscometry, 1139
Morphology: of annealed polyethylene crystals, 1653
of cellulose films under microbial attack, 313
of fracture surface in polycarbonate, 2039
of injection-molded polypropylene, 951
of nylon 6 fibers, effect of drawing and annealing on, 31
of polyamide crystals, 193, 201
of polyethylene fibers drawn from single crystals, 359
of polyethylene in rolled single crystal mats, 2393
of polyethylene polymerized by γ-rays, 2297
of poly(ethylene terephthalate) in drawn films, 1779
of polymerization catalyst, 1619
of polymerized oxetanes, 769
of polyolefin powders, 1601
of poly(vinylidene chloride), effect of polymerization conditions on, 875
of SBS three-block copolymer, 929
Networks: entanglement model for molecular weight dependence of fracture surface energy, 909
viscoelastic behavior in long-time region, 2311
viscoelasticity and stress-strain in poly(*n*-butyl methacrylate), 539
Nuclear magnetic resonance (NMR): of diglycidyl ether of bisphenol-A, 65, 449, 1453
of ethylene-1-olefin copolymers, and polyethylene, 275
of ethylene-tetrafluoroethylene copolymer, 587

of oxetanes, 759
of paraffins, 2377
of polyacrylonitrile, 2237
of polyalkenamers, 529
of polyisobutylene, 2237
of polyoxetanes, 769
of polypeptides, 1117
of poly(vinyl alcohol), 393, 2237
of poly(vinyl chloride), 2237
of wet and dry cellulose acetate, 427
Nucleation mechanism in crystallization of polyolefins, 117
Nylon 6: creep failure in oriented fibers of, 1235
drawing of fibers of, 31
electron spin resonance of, 217
entrapment of free radicals in, 217
infrared spectrum of, 1173, 2135
Nylon 12, crystal structure of, 1077
Nylon 62, 82, 102, 122, structure and thermal stability of, 1
Nylon 66: dynamic mechanical properties of, 1873
infrared spectrum of, 1173
ionic thermoconductivity of, 1631
Nylon 77, infrared spectrum of, 1173
Optical microscopy: of craze formation in glassy polymers, 223
of crystal growth in poly(tetrachlorobisphenol-A adipate) melts, 87
of crystal growth in poly(tetrachlorobisphenol-A adipate)-polystyrene block copolymers, 95
of crystal twisting in hippuric acid, 457
of fracture of polystyrene, 2483
of fracture surfaces of polycarbonate, 2039
of fracture surfaces of rubbery polymers, 1271
of injection-molded polypropylene, 951
of polyolefin fibers, 1091
of polymerization catalyst, 1619
of polymerized oxetanes, 769
of poly(vinyl chloride) blends, 1713
of poly(vinylidene chloride), 875
of thermal fracture of poly(vinyl chloride) and polycarbonate, 2423
Osmotic pressure: of butyl methacrylate-styrene copolymer in dilute solution, 331
of polyethylene solutions, 1189
Oxetanes: monomeric, lattice parameters of, 759
polymerization of, 769
Permeation of swollen membranes by water, 289
Phase separation: in polyelectrolyte solutions (pyridinium and ammonium methacrylate polymers), 1803
in poly(ethylene oxide)-poly(propylene oxide) mixtures, 595
in polystyrene-cyclohexane system, 2253, 2307
Phase transformations in polyethylene, 1385
Phase transition and paracrystalline order in paraffins, 2377
Phenol-formaldehyde polymer, Griffith fracture of, 1949
Photoconductivity in polyethylene, 25
Photoprotection of polymer by copolymerized quenchers, 1863
Polyacetaldehyde, conformational energy of, 825
Polyacrylamide, diffusion in gels of, 289
Polyacrylonitrile, carbon-13 NMR of, 2237
Polyalkenamers, NMR and infrared spectroscopic analysis for, 529
Polyamides: chain folding in, 193, 201
hydrogen bonding in random copolyamides, 815
infrared spectra of, 1173
ionic thermoconductivity in, 1631
Polyarylate, intrinsic viscosity of, 1055
Poly(γ-benzyl L-glutamate), dielectric relaxation and structure of, 1117
Polybutadiene: intrinsic viscosity of, 1055
stress-strain relations in, 1271
Poly-1-butene: heat capacity in molten state of, 861
molecular orientation in fibers of, 1091
Poly(butyl acrylate), stress-strain relations in networks of, 297
Poly(*n*-butyl methacrylate): diffusion and creep in, 1535
diffusion and stress relaxation in, 1555
viscoelasticity and stress-strain in networks of, 539
Polycarbonate: craze formation in, 223, 2099
fracture surface features in, 2039
shear bands in, 2199
thermal fracture of, 2423
Polychlorotrifluoroethylene: crystal structure of, 1585
dielectric relaxation in, 2413
Polydiacetylene, negative thermal expansion of, 2453

Polydimethylsiloxanes: chain conformation and cyclization in solutions of, 51
intrinsic viscosity of, 1055
non-Newtonian viscosity behavior of, 2283
Poly-1,3-dioxocane, structure of, 1985
Poly-1,3-dioxonane, structure of, 1985
Polyelectrolytes: conformational transition of aqueous maleic acid-styrene copolymer, 413
dynamic light scattering study of ethylene-methacrylic acid copolymer and sodium salt, 1347
solution properties of polymers of pyridinium and ammonium methacrylates, 1803
styrene-methacrylic acid copolymer, glass transitions in sodium salts of, 2079
Polyethylene: analysis of flow behavior of, 1465
branching in, NMR study of, 275
calculation of strength of molecule of, 1285
effect of branching on molecular weight of, 559
energetics of phase transformations in, 1385
epitaxial crystallization of, 2185
generation and decay of radicals in, 841
heat capacity of, 397, 861, 1301
infrared dichroism of crystalline, 2001
intrinsic viscosity-molecular weight relation in solutions of, 1189
light scattering from vibrating film of, 693, 709
mechanical loss of, 1891
melting and morphology of single crystals of, 991
"memory" effects in, 2273
molecular orientation in fibers of, 1091
molecular weight distribution and structure of, 1573
morphology of annealed crystals of, 1653
morphology of drawn fibers of, 359
morphology of γ-ray polymerized, 2297
photoconductivity in, 25
reduction of environmental stress cracking of, 1013
rolling of single-crystal mats of, 2393
small x-ray scattering from, 1023, 1219
structural change under cyclic stress, 2357
thermodynamic interaction of, with hydrocarbons, 15
Polyethylene oxide: phase separation in mixtures with poly(propylene oxide), 595
planar zigzag modification of, 2113
Poly(ethylene terephthalate): chain folding in films of, 1793
diffusion and sorption of gases in, 1829
diffusion in polymerization of, 1671
infrared spectra of, 2135
morphology of drawn films of, 1779
Poly(ethyl methacrylate), dielectric and mechanical relaxation in, 1641
Polyfluorostyrenes, solution properties and unperturbed dimensions of, 43
Polyhexene-1, amorphous, heat capacity and glass transition of, 1817
Poly(2-hydroxyethyl methacrylate), viscoelastic properties of crosslinked networks of, 2311
Polyisobutylene: carbon-13 NMR study of, 2237
intrinsic viscosity of, 1055
stress relaxation on cessation of steady flow of, 1747
viscoelastic properties of, in polybutene, 1975
Polyisoprene: crystal structure of, 233
stress-strain relations in, 1271
Polylaurolactam, effect of N-substitution on crystallinity of, 939
Poly(e-methyl-1-butene), conformational energy of, 825
Poly(γ-methyl L-glutamate), dielectric relaxation and structure of, 1117
Poly(methyl methacrylate): concurrent diffusion and creep in, 1555
conformational energy of, 825
craze formation in, 223
depolarization thermocurrents in, 2315
heat capacity in molten state of, 861, 1301
molecular motion and radiation-induced reactions in, 1293
Poly(4-methyl-1-pentene), conformational energy of, 825
Poly-α-methylstyrene, high-resolution GPC of, 2329
Polyolefins, nucleation mechanism in crystallization of, 117
Polyoxamides, structure and thermal stability of, 1
Polyoxymethylene: crystal structure of polymerized hexoxecane, 369

heat capacity of, 391
small angle x-ray scattering from, 1023
Polypeptides, dielectric relaxation and structure of, 1117
Poly(*p*-phenylene pyromellitamic acid), synthesis and characterization of, 1151
Polypropylene: analysis of flow behavior of, 1465
conformational energy of, 825
heat capacity in molten state of, 861, 1301
infrared spectra of, 2135
molecular orientation in fibers of, 1091
morphology of injection-molded, 951, 973
morphology of powders of, 1601
Polypyromellitimides: dielectric properties of, 2143
thermal emission characteristics of, 2227
Polystyrene: diffusion in cyclohexane solutions of, 389
fracture of high-impact, 2483
heat capacity of molten, 861, 1301
high resolution GPC of, 2329
intrinsic viscosity of, 1055
low-temperature specific heat of, 1441
phase separation from cyclohexane solutions of, 2253, 2307
refractive index and density of solutions of, 1331
solvent crazing of, 1879
sound velocities in crosslinked, 1435
spin-labeled, electron spin resonance of, 1263
stress relaxation on cessation of steady flow in, 1747
Poly(tetrachlorobisphenol-A adipate), crystallization and melting of, 75, 87
Polytetrafluoroethylene, wettability of, 785
Polyurethanes, endothermic behavior of, 807
Poly(vinyl acetate), intrinsic viscosity of, 1055
Poly(vinyl alcohol), carbon-13 NMR of, 393, 2237
Poly(vinyl chloride): carbon-13 NMR of, 2237
compatibility in blends of, 1713
thermal fracture of, 2423
Poly(vinylidene chloride), morphology and polymerization conditions of, 875
Poly(vinylidene fluoride): annealing effects in, 2153
dielectric relaxation in, 1503
injection of ions into film of, 801
Poly(*p*-xylylene): crystallization during polymerization of, 1111
crystal structure of, 2403
Propylene-vinyl chloride copolymers, dipole moments and random-coil dimensions of, 1375
Radicals: entrapment of, in nylon 6, 217
generation and decay of, in deformed polyethylene, 841
Raman spectra: application in determining copolymer composition, 1841
in solid-state polymerization of diacetylenes, 603
Refractive index of solutions: of butyl methacrylate-styrene copolymer, 331
of polymers of pyridinium and ammonium methacrylates, 1803
relation to density of, 1331
Relaxation in solid polystyrene, 1263
Relaxation, mechanical and dielectric: of collagen and gelatins, 737
of poly(ethyl methacrylate), 1641
Rubber, natural: crystallization of, under biaxial stretching, 1477
diffusion of organic vapors through, 2209
melting behavior of, 2291
stress relaxation during crystallization of, 467
Rubber, SBR, ESR spectra of, 1461
Rubbery polymers: crosslink density and adhesive strength of, 269
diffusion of heavy organic vapors in silicone rubber, 663
relative rates of creep and relaxation in, 1769
stress-strain relations in, 1271
thermoelasticity under small torsions, 1723
Second virial coefficient, 43, 331, 1151, 1803
Sedimentation of polymer chain in dilute solution (theory), 899
Selenium, polymerization during crystallization of, 1735
Silanes, reduction of stress cracking of polyethylene by, 1013
Silicone rubber, diffusion of heavy organic vapors through, 663
Solubility of heavy organic vapors in silicone rubber, 663

Spherulites: in crystallization of poly-(tetrachlorobisphenol-A adipate) and block copolymer with polystyrene 87, 95
in injection-molded polypropylene, 951
kinetics of growth of, 109
light scattering from, 149, 1047, 1357, 1683
Statistical mechanics: association in polymer solutions, 137
compositional heterogeneity of graft and block copolymers, 1251
configurational sequences in binary vinyl copolymers, 1963
conformational energies in isotactic helical polymers, 825
conformational energies in polymer chains, 621
elastic displacement of stressed chains, 1201
entanglement model for molecular weight dependence of fracture surface energy, 909
graft distribution analysis of graft copolymers, 1413
hydrodynamic interaction for rotation of rigid dumbbell, 1941
phase transformations in polyethylene, 1385
relationships of viscoelastic properties in nonlinear region, 2123
slow motion of long chains in solution, 2467
statistical thermodynamics of ABA block copolymers, 345
statistical thermodynamics of *n*-alkane systems, 499
strength of polyethylene molecule, 1285
unperturbed dimensions of comblike branched chains, 1247
Strain-induced crazing of polystyrene, 1879
Strain-induced formation of radicals in polyethylene, 841
Strain optical coefficient of polyethylene, 1891
Stress cracking of polyethylene, 1013
Stress dependent diffusion equation, 601
Stress in crazing of poly(methyl methacrylate) and polycarbonate, 223
Stress, crystal twisting and surface, 457
Stress relaxation: effect of liquid penetrants on, 1555
in crystallization of natural rubber, 467
of collagen, effect of water on, 1489
overshoot on cessation of steady flow, 1747
Stress-strain relations: cryogenic, in rubbery polymers, 1271
in crazing of polycarbonate, 2099
in crosslinked elastomer networks, 297
in deformation of polycarbonate, 2199
in poly(*n*-butyl methacrylate) networks, 539
Styrene-butadiene block copolymer, domain structures in, 511
Styrene-butadiene star-shaped cbpolymer, viscous flow and chain branching in, 1849
Styrene-butadiene-styrene block copolymer: morphology of, 929
ultrasonic absorption and dielectric loss in, 2261
Styrene glycidyl methacrylate copolymer, determination of composition from Raman spectra of, 1841
Surface roughness and wettability of polytetrafluoroethylene, 785
Surface stress and crystal twisting, 457
Swelling: effect of, in thermoelasticity of elastomers, 1723
of poly(butyl acrylate) gels, 297
of poly(*n*-butyl methacrylate), mechanical properties and, 1535
of poly(methyl methacrylate), mechanical properties and, 1535, 1555
Tellurium, melting and pressure-temperature curves of, 1337
Tetrachlorobisphenol-A adipate-styrene block copolymers, synthesis and crystallinity of, 95
Thermal degradation of cellulose in nitrogen, 1703
Thermal emissivity of polymers, 2227
Thermal stability of polyoxamides, 1
Thermodynamic parameters: cyclization equilibrium constants of poly-dimethylsiloxanes, 51
heat capacity of amorphous polyhexene-1, 1817
heat capacity of molten polymers, 861
heat capacity of polyethylene, 397
heat capacity of polyoxymethylene, 391
interpretation of heat capacity of melts, 1301
low-temperature specific heat of polystyrenes, 1441
of dielectric relaxation from depolarization thermocurrents, 2315

of dielectric relaxation of poly-(vinylidene fluoride), 1503
of ionic thermoconductivity of polyamide, 1631
of mechanical degradation of polymers, 2441
of melting of ethylene oxide-propylene oxide block copolymer, 249
of melting of poly(tetrachlorobisphenol-A adipate), 75
of melting of tellurium, 1337
of melting of (tetrachlorobisphenol-A adipate)-styrene block copolymers, 95
of molecular motion in epoxy resin, 65
of phase separation of poly(ethylene oxide)-poly(propylene oxide) mixtures, 595
of phase transformations in polyethylene, 1385
of polyethyiene-hydrocarbon interactions, 15
work of adhesion, 1005
Thermodynamics, statistics, of ABA block copolymers, 345
Thermogravimetric analysis: of cellulose, 1703
of phenol-formaldehyde polymer, 1949
of polydiacetylene crystal, 2453
of polyoxamides, 1
Titration curves of aqueous maleic acid-styrene copolymer, 413
Ultrasonic absorption in heterophase block copolymers, 2261
Viscoelastic properties: constitutive equation for, in composite systems, 2013
nonlinear, general relationships of, 2123
of networks in the long-time region, 2311
of poly(*n*-butyl methacrylate) networks, 539
of polyisobutylene in polybutene, 1975
of solutions of branched polymers, 549
relative rates of creep and relaxation in shear, elongation, and isotropic compression, 1769
sinusoidal normal stress measurements with Weissenberg rheogoniometer, 2371
stress overshoot on cessation of steady flow, 1747
Viscosity: as a measure of chain branching, 1849
non-Newtonian, of polydimethylsiloxanes, 2283
of polyethylene and polypropylene, 1465
X-ray diffraction: analysis of curves for, 1023
application of two-phase model for, 1219
dynamic, in study of mechanical loss in polyethylene, 1891
effect of particle size distribution on, 635
of cellulose, 487, 2057
of ethylene oxide-propylene oxide block copolymers, 249
of ethylene-phosphonic acid copolymers, 571
of ethylene-tetrafluoroethylene copolymer, 919
of glassy copolyamides, 815
of hexoxecane, 369
of injection-molded polypropylene, 973
of nylon 6 fibers, 31
of nylon 12, 1077
of oxetanes, 759
of paraffins, 2377
of polyamides, 193, 201
of polychlorotrifluoroethylene, 1585
of poly-1,3-dioxocane, 1985
of polyethylene, 1023, 1219, 1891, 2357, 2393
of polyethylene oxide, 2113
of polyisoprene, 233
of polylaurolactams, 939
of polymerized diacetylenes, 603
of polyolefin fibers, 1091
of polyoxamides, 1
of polyoxetanes, 769
of polyoxymethylene, 369, 1023
of poly(vinyl chloride) blends, 1713
of poly-*p*-xylylene, 2403
of SBS three-block copolymer, 929
of stretched natural rubber, 1477
of styrene-butadiene block copolymer, 511